VAVILOV, A.A., KARDANOV, V.K.; KOTCHENKO, F.F.; PAVLOV, G.M.

High-speed recording device for electronic analogs. Pricorostroenie no.8225-26 Ag '64. (MIRA 17:10)

VAVILOY, A.A. (Leningrad); YAKOVLEV, V.B. (Leningrad)

Approximation methods for constructing logarithmic frequency characteristics of discrete systems with delay. Avtom. i telem. 26 no.5:823-831 Ny '65. (MIRA 18:12)

1. Submitted April 9, 1964.

EWT(1)/EWA_(h).... SOURCE CODE: UR/0413/66/000/002/0043/0043 L 24552-66 AP6005321 ACC NEC. Vavilov, A. A.; Granstrem, M. P.; Solodovnikov, A. I. U.iu In infralow frequency generator of sinusoidal oscillations of multiple TI · frequencies. Class 21, No. 177937 SOUr ... Izobroteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 2, 1966, 43 To. . GS: electronic circuit, oscillation, very low frequency, electric ABSTRACT: This Author Certificate presents an infralow frequency generator of sinusoidal oscillations of multiple frequencies. The generator contains a driving generator and a driven generator. The design eliminates the trigger of the frequency divider in the synchronization circuit and also provides compensation of the attenuation of the oscillatory system and simultaneous synchronization of the driven generator by an outside signal. The input of the relay element connected to the positive feed-back circuit of the driven generator is also connected to the driving generator. 2 SUB CODE: 09/ SUBM DATE: 27Jun63 UDC: 621.373.42 Card 1/1

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001859030004-1

UR Monograph ACC NR: AM5011710 Vavilov, A. A.; Verkholat, M. Ye.; Rubashkin, I. B. Electromechanical power servomechanisms of copying milling machines (Silovyye elektromekhanicheskiye sledyashchiye sistemy kopiroval'no-frezernykh stankov) Moscow, Izd-vo "Mashinostroyeniye", 1964. 406 p. illus., biblio. 4,200 copies printed. TOPIC TAGS: milling machine, automatic control, servomechanism system, servosystem, industrial automation, automation PURPOSE AND COVERAGE: This book presents construction principles and circuits of electromechanical servodrives for copying milling machines and milling machines with digital program control. Methods for static calculations of servomechanisms and concrete examples of the calculations are given. Specific properties of joint performance of two interconnected channels of electromechanical servomechanisms are. described. Methods of analysis and synthesis of servomechanisms with continuous proportional control and of discrete servomechanisms with logarithmic frequency characteristics are discussed in detail. Methods for the analysis of electromechanical servomechanisms of copying milling machines on analog computers are investigated. Paragraphs 3-5, 4-6, and 6-6 were written by A. A. Vavilov in cooperation with V.B. Yakovlev. The book is intended for engineering and technical personnel concerned UDC: 62-523.8:621.916 Card 1/2

ACC NR. AM5011710

with the design, research, adjustment, and operation of electromechanical servedrives for copying milling machines, as for specialists engaged in the designing of servomechanisms for various applications, and for students attending courses of instruction in these fields.

TABLE OF CONTENTS [abridged]:

Foreword - - 3

- Ch. I. Servodrive and automation of milling machines - 5
- Ch. II. Selection of basic parameters of servomechanisms under steady-state conditions Error determination. -- 55
- Ch. III. Equations, transfer functions, and frequency characteristics of servo-
- Ch. IV. Analysis of the servomechanism performance of copying milling machines and of milling machines with programmed control 14 - 195
- Ch. V. Joint channel performance of two-coordinate servodrives for copying milling
- Ch. VI. Synthesis of servomechanisms of copying milling machines and of milling machines with programmed control - - 266
- Ch. VII. Modeling of servemechanisms for copying milling machines [S. V. Demidov]-340

SUB CODE: 09,13/ SUBM DATE: 11Nov6// SOV REF: 073/ OTH REF: 004

Card 2/2

68 B

L 58556-65 EEO-2/EWT(d)/FSS-2/EPF(n)-2/EWP(v)/EWP(k)/EWP(h)/EED-2/EWP(1)
PO-4/PQ-4/Pf-4/Pg-4/Pae-2/Pu-4/Pk-4/Pl-4 IJP(c) WW/BC

ACCESSION NR: AP5013839

UR/0103/65/026/005/0823/0831 62-504.1.001.24

AUTHOR: Vavilov, A. A. (Leningrad); Yakovlev, V. B. (Leningrad)

TITLE: Approximate methods of constructing logarithmic frequency characteristics of delay-type sampled-data systems

SOURCE: Avtomatika i telemekhanika, v. 26, no. 5, 1965, 823-831

TOPIC TAGS: automatic control, automatic control design, automatic control system, automatic control theory, sampled data system

ABSTRACT: A method is proposed for constructing log frequency characteristics which is based on two (h-f and 1-f) characteristics or on replacement of small time constants by equivalent delays. The transfer function of a sampled-data system is found by a modified z-transform method. Formulas for the complex transfer factors are developed. Formulas for calculating the approximate \log frequency characteristics, with an allowance for the duty factor of the sampling unit, are derived. The method basically developed for PAM systems is also applicable to PIM systems whose duty factor Y > 1. Orig. art. has: 4 figures and 41 formulas.

Card 1/2

ACCESSION NR: AP5013839 ASSOCIATION: none		0	4
SUBMITTED: 09Apr64	ENCL: 00	SUB CODE: DP. IE	
NO REF SOV: 005	OTHER: CO2		

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001859030004-1

FWT(d)/EWP(k)/EWP(v)/EWP(1)/EWP(h) Po-li/Pq-li/Pf-li/Pg-li/Pk-li/Pl-li ACCESSION NR: AP5017813

UR/0286/65/000/011/0042/0043

621.317.361

AUTHOR: Vavilov, A. A.; Solodovnikov, A. I.

TITLE: A method for determining the frequency response of automatic control sys-

Class 21, No. 171445 tems.

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 11, 1965, 42-43

TOPIC TAGS: automatic control system, frequency response characteristic,

integrator

ABSTRACT: This Author Certificate introduces a method for determining the frequency response of automatic control systems by measuring the Fourier coefficient of stationary response for such a system in the case of sinusoidal action on the system. The Fourier coefficient is measured without using multiplication by feeding the steady-state response of the system to an oscillatory unit with two integrators and a single inverter. The oscillatory circuit simulates a conservative linear harmonic oscillator with a natural frequency equal to that of the externally acting force. The integrators in the oscillator model are then switched on for a

Card 1/2

L 58799-65

ACCESSION NR: AP5017813

time which is equal to the period of the externally acting sinusoidal force at the moment when the sine passes through zero with a positive derivative. The in-phase and quadrature components of the response of the system are fixed at the output of the integrators in the oscillator model after they are switched off. In a modification of this method the in-phase and quadrature components of the response harmonics for the system are measured by tuning the natural frequency of the oscillator model to the frequency of the proper harmonic. In another modification the accuracy of the measurements is improved by a special method for tuning the natural frequency of the model. The basic externally acting sinusoidal force is fed to the oscillator model and the tuning is adjusted according to the signal which appears at the integrator which fixes the quadrature component.

ASSOCIATION: none

SUBMITTED: 11Feb63

ENCL: 00

SUB CODE: IE, EC

NO REF SOV: 000

OTHER: 000

ATD PRESS: 4054

Card 2/2

AM4016109

BOOK EXPLOITATION

s/

Vavilov, Aleksandr Aleksandrovich; Solodovnikov, Aleksey Ivanovich

Experimental determination of frequency characteristic in automatic systems (Eksperimental'noye opredeleniye chastotny*kh kharakteristik avtomaticheskikh sistem) Moscow, Gosenergoizdat, 63. 0251 p. illus., biblio. 12,000 copies.

TOPIC TAGS: automation, computer engineering, linear automatic system, nonlinear automatic system, frequency characteristics, frequency characteristic experimental determination, sinusoidal input, nonsinusoidal input, infralow frequency generator, automatic system experimental investigation

PURPOSE AND COVERAGE: The book systematizes different methods of experimental determination of frequency characteristics of linear and nonlinear automatic systems and their elements. The theory of operation and synthesis of apparatus for experimental investigation

Card 1/3

THE STATE OF THE SECOND SECOND

AM4016109

of automatic systems is considered. The book is intended for many specialists in automation, engaged in the investigation and adjustment of automatic systems, and also those dealing with the design of apparatus for the experimental investigation of such systems. The book can also be useful for graduate and senior students in higher technical institutions, specializing in the field of automation, computation, and measurement. The authors are grateful to A. V. Fateyev, V. I. Anisimov, and F. F. Kotchenko for valuable advice and help, and also V. V. Semenov for useful remarks during reviewing of the manuscript.

TABLE OF CONTENTS [abridged]:

- Ch. 1. Frequency characteristics of linear automatic systems and their elements, and equivalent characteristics of nonlinear systems - - 9
- Ch. 2. Methods of experimental determination of frequency charac-

Card 2/3

AM4016109		
al input signal - Ch. 3. Methods of experiments of anharmonic input signal.	perimental determination of automatic systems and the	of the frequency eir elements for an
	xperimental investigation ystems and their elements	of linear and non-
linear automatic sy	xperimental investigation	of linear and non-
linear automatic sy Literature 247	xperimental investigation ystems and their elements	of linear and non- 222
linear automatic sy Literature - 247 SUB CODE: CP, CG	xperimental investigation ystems and their elements SUBMITTED: 20May63	of linear and non- 222
linear automatic sy Literature - 247 SUB CODE: CP, CG	xperimental investigation ystems and their elements SUBMITTED: 20May63	of linear and non- 222

VAVILOV, Aleksandr Aleksandrovich, kand tekhn nauk, dotsent; KOTCHEN-KO, Feder Federevich, aspirant

Calculation of a certain class of near optimum tracking systems. Izv. vys. ucheb. zav.; elektromekh. 6 no.8:961-972 '63. (MIRA 16:9)

1. Leningradskiy elektrotekhnichoskiy institut imeni Ul'yanova-Lenina.

电影影響的影響的影響。

VAVILOV, Aleksandr Aleksandrovich; SOLODOVNIKOV, Aleksey Ivanovich;

FATEYEV, A.V., red.; ZHITNIKOVA, O.S., tekhn. red.

[Experimental determination of the frequency characteristics of automatic-control systems] Eksperimental noe opredelenie chastotnykh kharakteristik avtomaticheskikh sistem. Moskva, Gosenergoizdat, 1963. 251 p. (MIRA 16:11)

(Automatic control)

L 17803-63 EWT(d)/EPF(n)-2/BDS AFFTC/ASD/APGC/SSD Pu-4/Pg-4/

Pk-4/P1-4/Po-4/Pq-4 WW/BC ACCESSION NR: AP3006225

3/0144/63/000/008/0961/0972

AUTHOR: Vavilov, A. A.; Kotchenko, F. F.

85

TITLE: Designing some near-optimum servosystems 10

SOURCE: IVUZ. Elektromekhanika, no. 8, 1963, 961-972

TOPIC TAGS: servo, servosystem, optimum servosystem, near-optimum servosystem, servosystem design, EPP-09 compensator

ABSTRACT: Theoretical considerations are offered for designing low-power servo-systems that have a narrow linear zone, high accuracy of response, and high speed. Optimum functioning of such a system involves minimum time of response to a jump input variable and limited voltage on the amplifier. The system is designed to function under optimum conditions with the maximum input signal, and under near-optimum conditions with small input signals; the system does not include computer, its high performance being ensured solely by proper selection of its parameters. Optimum conditions of operation of the servosystem motor are theoretically determined for a jump input signal. Realization of near-optimum transient conditions is considered using an automatic high-speed EPP-09 compensator as an example.

Card 1/2

L 17803-63
ACCESSION NR: AP3006225

Functional diagram and a transient oscillogram are presented. Orig. art. has: 8 figures and 26 formulas.

ASSOCIATION: none

SUBMITTED: 27Mar62

DATE ACQ: 23Sep63

ENCL: 00

SUB CODE: IE

NO REF SOV: 007

OTHER: 000

WAVILOV, A.A., kand.tekhn.nauk, dotsent (Leningrad)

Modeling of a generator taking into account saturation, hysteresis, and change of the angular velocity. Elektrichestvo no.1:33-36
(MIRA 16:2)

(Electric generators—Electromechanical analogies)
(Automatic control)

Pubben Abotnor 5	VAVILOV, A.A	Natural Pobber
1		
	Now methods of testing leather substitutes. \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	u.
1747		

VAVILOV, A.F.

Friction welding of tools. Avtom. svar. 18 no.3:51-53 Mr '65.
(MIRA 18:6)

1. Nauchno-issledovatal'skiy i proyektno-tekhnologicheskiy
institut avtomatizatsii i mekhanizatsii mashinostroyeniya
Yuzhno-Ural'skogo soveta narodnogo khozyaystva.

L 27383-65 EWT(m)/EWP(v)/T/EWP(t)/EWP(k)/EWP(b) Pf-4 JD/HM

ACCESSION NR AIGIOL3701

BOOK EXPLOITATION

3/

The confidential and and property problems and the contraction of the

Vavilov, A. F.; Voinov, V. P.

Friction welding (Sverke treniyem), Moscow, Ind-vo "Meshinostroyeniye", 1964, 153 p. illus., biblio. 6,000 copies printed.

TOPIC TAGS: friction welding

FURPOSE AND COVERAGE: This book cites the experience in the practical use of friction heat for joining materials. The theoretical problems of friction walding are examined with the basic phenomona occurring in aliding friction taken into account. The results of research and experience in the use of friction walding in our country and abroad are presented and the walding technology is considered. Information is included on the most interesting friction walding equipment. The prospects for the development of this new progressive walding method are shown. The book is intended for engineers and technicisms in plants, research institutes, and design organizations and can be used by students in higher technical education institutions studying walding.

TABLE OF CONTENTS [abridged]:

Card 1/2


L 27383-65

ACCESSION RR AMADITOL

Introduction - 3
Ch. I. The essence and methods of friction welding - 5
Ch. II. Some premises of the modern science of friction - 10
Ch. III. Power and heating in friction welding - 29
Ch. IIII. Friction welding technology - 51
Ch. V. Friction welding equipment - 102
Ch. VI. Economic effectiveness and prospects of friction welding -- 139
Bibliography -- 151

SUBMITTED: 12Nar64 SUB CODE: MM

NO REF SOV: 063 OTHER: 010



ACC NR. AP6029763 (N)

SOURCE CODE: UR/041/4/66/009/902/9907/0109

AUTHOR: Vavilov, A. N.; Kegarke, S.M.; Basevich, V. Ya.

ORG: none

TITLE: The effect of active particles on flame stabilization at law pressures

SOURCE: Fizika goreniya i vzryva, no. 2, 1966, 107-109

TOPIC TAGS: combustion, air breathing engine, combustion stability, flame stabilization

ABSTRACT: Experiments were made to determine the effect of active flame specieg, such as radicals and atoms (OH, H, O), on the stability of turbulent combustion of natural gas-air mixtures with respect to pressure and flow velocity. At a constant air flow, the gas flow rate was gradually decreased until the flame separated from the flame holder. This procedure was repeated at various pressures ranging from 20 to 300 mm Hg and flow velocities of 5-35 m/sec. Plots of the gas flow rate vs pressure and velocity were obtained delineating the regions of stable combustion with and without active flame species. The latter were introduced in the form of combustion products. It was shown that active flame species widen the stability region of lean mixtures by 40-60% and of rich mixtures by 5-15%. It is concluded that acceleration of the combustion rate by introduction of active flame species substantially levers the pressure limit for stable combustion. Orig. art. has: 3 figures. [PV] SUB CODE: 21/ SUBM DATE: 16Dec65/ ORIG REF: 006/ OTH REF: 004/ ATD PRESS: Cord 1/1 5077 UDG: 536,468

VAVILOV, A. S.

PA 38/49126

THE PROPERTY OF THE PROPERTY O

USSR/Electricity
Hydroelectric Plants

Jan 49

"Starting Tests for Hydroelectric Stations," A. S. Vavilov, Engr, 4 pp

"Gidrotekh Stroi" No 1

"Chirchikstroi" Trust has established a commission which supervises the work of pitting a hydroelectric station into operation. Describes aganization of commission, and the tests it makes (checking underwater equipment, intake pipes, drying the generator, etc.).

38/49726

Building dams wi Gidr. stroi. 23 n	th losss soils by to.4:1-4 '54,	he hydraulic fil (M	l method. LRA 7:7)
(Dams)	•	•	• • •

507-98-58-10-8/16

AUTHORS: Vavilov, A.S., Candidate of Technical Sciences, Nikolayev,

I.K. and Pak, I.D., Engineers

TITLE: The Construction of a Derivation Canal in Shifting Ground

(Stroitel'stvo derivatsionnogo kanala v oplyvayushchikh

gruntakh)

PERIODICAL: Gidrotekhnicheskoye stroitel'stvo, 1958, Nr 10, pp 30-33,

(USSR)

ABSTRACT: The authors describe the construction process of a deriva-

tion canal, built as a part of the Nizhriy Bozsu Hydroe-lectric Power Plant near Tashkent. The topographic and hydrographic situation of this canal were very unfavorable. The geological structure of the canal consisted of Quaternary deposits, represented by loess-like clayey soils, overlaying the eroded surface of basic rock, marl and sandstone. The depth of subsurface water varied in limits of 2 - 3 to 0.5 - 1.00 m. E-1004 excavator and ESh-1 walking exca-

vator were used in the excavation. The excavation work was stopped after reaching 1 - 1.5 m below the subsurface water

Card 1/2 horizon, due to a shifting of the ground. The following re-

507-98058-10-8/16

The Construction of a Derivation Canal in Shifting Ground

commendations were made: 1) a minimum deep, parabolic-shaped canal crossection was needed; 2) a stabilization of the canal slopes by means of loading the lower sections; 3) an extension of the embankment as much as possible to allow the moving of equipment. There are 2 diagrams and 1 map.

1. Inland waterways---Construction 2. Soils---Stability

Card 2/2

VAVILOV, A.S.

Pneumatic drive for controlling a bunker gate in unloading crushed stone. TSement 27 no. 2:27 Mr-Ap 161. (MIRA 14:5)

1. TSementnyy zavod "Pobeda Oktyabrya" (Cement plants) (Pneumatic machinery)

VAVILOV, A.V.

Measures for the protection of workers and the decrease of injuries in the paper industry of Sakhalin Province. Vop. travm. i ortop. 10:13:26-28 463. (MIRA 18:2)

.1. Clavnyy inzhener upravleniya bumazhnoy promyshlennosti Sakhalinskogo soveta narodnogo khozyaystva.

L 3280-66

ACCESSION NR: AR5014342

UR/0271/65/000/005/A003/A003

62 - 5:519.25 (002)

SOURCE: Ref. zh. Avtomatika, telemekhanika i vychislitel naya tekhnika.

Svodnyy tom, Abs. 5A19

AUTHOR: Vavilov, A. V.; Yakovlev, V. B.

TITLE: Log-frequency diagrams of discrete systems

CITED SOURCE: Izv. Leningr. elektrotekhn. in-ta, vyp. 53, 1964, 319-335

TOPIC TAGS: discrete system

TRANSLATION: Methods are considered of approximate plotting of log-frequency diagrams (LFD) for purposes of calculating discrete systems; the diagrams are constructed either from a sum of two LFD's (LF and HF) or by substituting an equivalent delay for a short time constant. The above methods ensure good agreement of these diagrams with the exact LFD's of discrete systems constructed on the basis of the total sum of all terms of the expansion. Formulas and characteristics are obtained which permit plotting PAM discrete-system

Card 1/2

L 3280-66		en de la companya de La companya de la co	
, J	NR: AR5014342		3
LFD, when to	It is demonstrated the he principle of equiva- of a PAM-system LF.	on the basis of an exact of the construction of a PI lent areas is observed, do D with a duty factor $3 < 1$ amples. Bibl. 7, figs. 6.	OM discrete-system less not differ from the
SUB CODE:		ENCL: 00	
			•
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			
!			
	and the state of t		

24.4200, 3.3600

65713 sov/139-59-2-12/30

AUTHOR ?

Vavilov, B.T.

TITLE

On Weak Gravitational Fields

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy, Fizika, 1959,

Nr 2, pp 73-77 (USSR)

ABSTRACT 3

The gravitational field of an oscillating particle is considered assuming that the law of motion of the particle is $z_0 = a \sin \omega t_0$. The non-zero components of the energy-momentum tensor $T_{\alpha\beta}$ are given by Eq (1) to (3) where m_0 is the mass of the oscillating particle and b is the Dirac b-function. Since the field is weak, the metric tensor $g_{\alpha\beta}$ may be represented by Eq (4) where

metric tensor
$$g_{\alpha\beta}$$
 may be represented $g_{\alpha\beta}$ and $g_{\alpha\beta}$ $g_{\alpha\beta}$

and $h_{\alpha\beta}$ are small compared with unity. Einstein and Rosen (Ref 2) have shown that if Eq (4) holds then the linearization described by Eq (5) leads to the system of equations given by Eq (6), where

THE RESERVE OF THE PROPERTY OF

equations given by Eq (0), where
$$h_{\alpha\beta} = h_{\alpha\beta} - \frac{1}{2} g_{\alpha\beta}^{(0)} h$$
, $h = g^{(0)\alpha\beta} h_{\alpha\beta}$, and \square is the

Card 1/3

65713 sov/139-59-2-12/30

On Weak Gravitational Fields

D'Alembert operator. The solution of Eq (6) is given by Eq (7) where the subscript "o" refers to points within matter and R is the distance between the point under consideration and the volume element in matter. In the integrand, to must be replaced by t - R/c and the integration is carried out over the volume of the gravitating matter. Using Eq (1), (2) and (7) one obtains Eq (8) where γ is Newton's constant and $\kappa \simeq 8\pi\gamma/c^2$. From Eq (8) and (9) the non-zero $h_{\alpha\beta}$ are given by Eq (10). The quantities $h_{\alpha\alpha}/2$ play the role of the classical gravitational potential. The component ha4, due to the particle vibrations, gives an additional curvature of space. The magnitude of this component is proportional to the amplitude and frequency. Moreover, h34 has a wave character. Thus, the gravitational field of an oscillating particle has two components, namely a Coulomb-type field and a wave field. Since for R = ct the ratio of h34 to h44 is equal to au/c, it follows that for small frequencies and amplitudes, the curvature of space introduced by the gravitational wave is small compared with the Schwarzschild curvature for a given mass

Card 2/3

On Weak Gravitational Fields

65713 sov/139-59-2-12/30

For microparticles h_{34} and h_{44} may be of the same order of magnitude. In the above method, the gravitational field was determined starting with a given energy-momentum tensor. Another possibility is to start with Einstein's equations for free space-time obtained from formal considerations and to find a physical model for the source of the gravitation, In this case, the functions $\psi_{\alpha\beta}$ in Eq (7) are looked upon as given and the $T_{\alpha\beta}$ as unknown. Starting with the metric given by Eq (11), expressions are derived for the rate of change of the moments of inertia - Eq (15). Doctor of Physico-Technical Sciences, A.Z. Petrov is thanked for her criticisms of the present work. There are 5 references, 3 of which are

ASSOCIATION: Kazanskiy gosuniversitet imeni V.I.Ul'yanova (Lenina) (Kazan' State University imeni V.I.Ul'yanov (Lenin)) SUBMITTED:

April 2, 1958

Card 3/3

VAVILOV, B.T.

Quantum field model for multiple production of particles. Vest. Mosk. un. Ser. 3: Fis., astron. 15 no. 6:46-53 N-D '60.

(MIRA 14:5)

l. Kafedra elektrodinamiki i kvantovoy mekhaniki Moskovskogo gosudarstvennogo universiteta.

(Quantum field theory) (Particles (Nuclear physics))

型967

S/056/60/039/003/053/058/XX B006/B070

24, 4500 AUTHORS:

Vavilov, B. T., Grigor'yev, V. I.

TITLE:

Relation Between the Matrices of Various Transitions and

Multiple Processes

PERIODICAL:

Zhurnal eksperimental noy i teoreticheskoy fiziki, 1960,

Vol. 39, No. 3(9), pp. 794 - 799

Card 1/3

13643

Relation Between the Matrices of Various S/056/60/039/003/053/058/XX Transitions and Multiple Processes B006/B070

necting the various transition matrices $V^{(\xi)}$, by means of which the following system is obtained.(2):

 $15V^{(ij,nm,kl)}/\delta\sigma = \sum_{\substack{\alpha,\beta,\gamma\\a,b,c\\p,q,r}} \hat{H}^{(\alpha\beta\gamma)}_{abc}V^{(i-a+ap,j-\alpha+ap;n-b+bq,m-\beta+bq;k-c+c;l-\gamma+cr)}$

The term $\hat{H}_{(abc)}^{(\alpha,\beta,\gamma)}$ of the interaction Hamiltonian contains the production and absorption operators α,β,γ and a,b,c, respectively, of the bosons, fermions, and antifermions. Mass renormalization is carried out with the conditions $V^{(11,00,00)}[\sigma,\sigma_0] = 0$, and $V^{(00,11,00)}[\sigma,\sigma_0] = 0$. The results obtained are applied to the problem of N charged scalar (pseudoscalar) bosons in a fermion-fermion collision. The following assumptions are made for this purpose: Fermion-antifermion pairs are produced neither in the final state nor in the intermediate one; the nucleon collisions may be arbitrary; the energies are so high

Card 2/3

akametan Aunes

84967

Relation Between the Matrices of Various Transitions and Multiple Processes

S/056/60/039/003/053/058/XX B006/B070

that a large number of bosons are produced; all the bosons have about the same energies. On these assumptions, the equation for the matrix y(ON, 22) is set up according to formula (2), and the solution obtained is discussed. The authors thank Ye. L. Feynberg and D. S. Chernavskiy for valuable comments. There are 6 non-Soviet references.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet (Moscow State

SUBMITTED: April 18, 1960

Card 3/3

CIA-RDP86-00513R001859030004-1" APPROVED FOR RELEASE: 08/31/2001

VAVILOV, B. T.

Cand Phys-Math Sci, Diss -- "On the problem concerning quantum-field description of multiple processes". Moscow, 1961. 8 pp, 20 cm (Sci Res Inst of Nuclear Phys, Moscow State U), 175 copies, Not for sale, 15 ref in bibl at end of text (KL, No 9, 1961, p 175, No 24248). <u>[61-52303</u>7

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1" BELOV, D.V. [translator]; VAVILOV, B.T. [translator]; IVANENKO, D., red.; IA: IN, S.I., red.; DOTSENKO, V.A., tekhn. red.

[Recent problems in gravitation] Noveishie problemy gravitatsii; sbornik statei. Moskva, Izd-vo inostr. lit-ry, 1961. 488 p. (MIRA 14:7) (Gravitation)

- CONTRACTOR OF THE PROPERTY O

VAVILCY, B.T.

Contact interaction of mesons in nonelastic nucleon-nucleon collisions. Vest. Mosk. un. Ser. 3: Fiz., astron. 16 no.3:90-93 My-Je '61. (MIRA 14:7)

 Kafedra elektrodinamiki i kvantovoy teorii Moskovskogo gosudarstvennogo universiteta. (Mesons) (Collisions (Nuclear physics))

VAVILOV, B.T.

是是自然的。

Author's corrections to the article entitled "Links between the matrices of various transitions, and multiple processes." Zhur.eksp. i teor.fiz. 41 no.1:307-308 Jl '61. (MIRA 14:7)

1. Moskovskiy gosudarstvennyy universitet.
(Mesons) (Nuclear reactions)

S/020/61/137/001/008/021 B104/B209 Vavilov, B. T. AUTHOR: Angular distribution in multiple processes TITLE: Doklady Akademii nauk SSSR, v. 137, no. 1, 1961, 51-53 PERIODICAL: TEXT: The angular distribution of mesons produced in the collision of two high-energy nucleons is analyzed by a method used to establish a system of correlated equations for the matrices Vij,nm,kl, which has been worked out in a previous paper (Ref. 1: B. T. Vavilov, V. I. Grigor'yev, ZhTEF, 39, 3(9), 794 (1960)). The matrices describe the transition of a system consisting of i cosons, n fermions, and k antifermions from the initial state ink > into the final state jml > . The author proceeds from the scalar meson-nucleon interaction and examines a model in which antifermions are not present in the final and in virtual states. The mesons interact only through scattering from a

Card 1/6

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

real nucleon. An analysis of this model answers the question as to whether the deviation of the angular distribution from the isotropic one is a

S/02/61/137/001/008/021 B104/B209

Angular distribution in multiple ...

consequence of meson-meson interaction, or whether it also appears when this interaction is neglected. The operators $V^{0n,22,00}$ and $V^{0n,mm,00}$ are shown in Fig. 1 in the form of graphical equations. These systems (1) and (2) are an infinite number of equations, and the exact solution does not correspond to any finite perturbation-theoretical approximation. In the following, the author restricts himself to $n \gg 1$, corresponding to very high energies, and employs the C-numerical fermion distribution function: $S^{C}(p) = i(2\pi)^{-4}(ap-m)^{-1}$ (3). Here, p denotes the fourmomentum, m the nucleon mass, and a is a four-vector satisfying the condition $a^{2} = 1$. The solution of (1) and (2) has the following form:

$$V^{\text{on. 32.00}}[\mathfrak{I},\mathfrak{I}_{0}] = \int_{\mathfrak{I}_{0}}^{\mathfrak{I}} d^{4}\xi \sum_{\text{HMR}} \overline{u} (p_{1}) \overline{u} (p_{2}) u (q_{1}) u (q_{2}) \prod_{\alpha=1}^{n} \varphi^{(+)}(k_{\alpha}) Q_{n} \times \exp \left\{ i\xi \left(p_{1} + p_{2} - q_{1} - q_{2} + \sum_{\alpha=1}^{n} k_{\alpha} \right) \right\}, \tag{4}$$

Card 2/6

多。 第二章的基础的数据,第二章的数据,第二章的基础的数据。

 $V^{(r), 11, \infty}[d, d_0] = \int_{a}^{a} d^a \xi \sum_{n \in \mathbb{N}} \overline{u}(p) \ u(q) \prod_{n=1}^{n} \varphi^{(+)}(k_n) B_n \exp \left\{ i \xi \left(p - q + \sum_{n=1}^{n} k_n \right) \right\}. (5)$

S/020/61/137/001/008/021
Angular distribution in multiple ...

B104/B209

Assuming a forward-backward symmetry, the solution

$$Q_{n} = \frac{g^{n+2}}{2n!} \int_{R} (g; E, \gamma) P(\rho_{1}, \rho_{2}) \times \sum_{l=0}^{n} P\left(\frac{k_{1} \cdots k_{l}}{k_{l+1} \cdots k_{n}}\right) \prod_{j=1}^{l} \left[a\left(p_{1} + \sum_{\alpha=1}^{l} k_{\alpha}\right) - m\right]^{-1} \cdot \prod_{i=l+1}^{n} \left[a\left(p_{2} + \sum_{\alpha=1}^{l} k_{\alpha}\right) - m\right]^{-1}, (8)$$
(8)

is found in the center-of-mass system for Q_n as a function of the initial nucleon energy E, the inelasticity coefficient γ , and the meson momenta k_1 . Here, $P\left(\frac{k_1 \cdots k_1}{k_{1+1} \cdots k_n}\right)$ is an operator of summation

Card 3/6

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

S/020/61/137/001/008/021 B104/B209

Angular distribution in multiple ...

over all n!/l!(n-l)! decompositions of the set $(k_1...k_n)$ with respect to $(k_1...k_1)$ and $(k_{l+1}...k_n)$, simultaneously rendering the expression symmetrical. The function $f_n(g; E, \gamma)$ satisfies the equation

$$\left\{1 - \frac{ig^{2}}{(2\pi)^{4}} \int d^{4}k \, P\left(p_{1}, p_{2}\right) \left[a\left(p_{1} - k\right) - m\right]^{-1} \left(k^{2} - \mu^{2}\right)^{-1} \left[a\left(p_{2} + k\right) - m\right]^{-1}\right\} \times f_{n}\left(g; E, \gamma\right) = f_{n-1}\left(g; E, \gamma\right) = (2\pi)^{4} \frac{g}{i} \, nP\left(q_{1}, q_{2}\right) P\left(p_{1}, p_{2}\right) \times \left[D^{c}\left(p_{1} - q_{1}\right) - D^{c}\left(p_{2} - q_{2}\right)\right]. \tag{9}$$

Since the momenta k do not appear in Eq. (9), the meson angular distribution is completely described by the sum of products entering into Eq. (8). From Eq. (8) it is easily seen that the angular distribution is not isotropic as spherical symmetry does not exist. Thus, it was found that, without accounting for $\pi - \pi$ interaction, theory leads to anisotropic distribution. The distribution of very slow mesons

Card 4/6

S/020/61/137/001/008/021 B104/B209

Angular distribution in multiple ...

only is approximately isotropic. The isotropism obtained by Lewis et al. (Ref. 3) is probably due to the assumption that there is no interference between the interactions, and that an emissive recoil effect upon the source does not exist. The author thanks V. I. Grigor'yev for valuable discussions. There are 1 figure and 4 references: 3 Soviet-bloc and 1 non-Soviet-bloc. The reference to the English-language publication reads as follows: H. W. Lewis, I. R. Oppenheimer, S. A. Wouthuyson, Phys. Rev., 73, 127, 1948.

ASSOCIATION:

Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova

(Moscow State University imeni M. V. Lomonosov)

PRESENTED:

October 12, 1960, by V. A. Leontovich, Academician

SUBMITTED:

October 10, 1960


Card 5/6


ALCONOMISMO PROPERTY OF THE PR

ے.۔

25

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"





S/188/62/000/003/005/012

U(ij,nm,kl) is the transition matrix for a graph with i, n, k incoming, and j, m, 1 outgoing boson, fermion and antifermion lines, respectively.

For U(0,00) it is established that

 $U_{\{1,a_{0}\}}^{(if,nm)} = \int_{3}^{a} d^{4}z \sum_{n=1}^{m} \prod_{n=1}^{m} \overline{u}(\hat{p}_{n}) \prod_{3=1}^{n} u(\hat{p}_{3}) \prod_{\gamma=1}^{i} q^{(+)}(\hat{p}_{\gamma}) \prod_{4=1}^{i} q^{i-1}(\hat{p}_{4}) \times .$ $\times Q^{(ij,nm)} \exp \left[iz \left(\sum_{s=1}^{m} p_s + \sum_{j=1}^{i} p_j - \sum_{3=1}^{n} p_3 - \sum_{k=1}^{i} p_k \right) \right],$ (4),

where Q(ij,nm) is a coefficient function, for the individual collisions, where Q is a coefficient function, for the individual collision.

This method offers the advantage that

as determined from the Graphs. summation does not necessitate all graphs being written explicitly as in the perturbation theory. Since a closed solution is impossible, the procedure is simplified by disregarding the production of nucleonantinucleon pairs in the intermediate and final states, disregarding spin effects, and assuming low energy in the mesons produced. In april criects, and assuming low energy in the mesons produced. In addition, scalar and pseudoscalar mesons with scalar interaction are Card 2/5

CIA-RDP86-00513R001859030004-1" APPROVED FOR RELEASE: 08/31/2001

S/188/62/000/003/005/012 B111/B112

Quantum field theoretical...

studied. Following the determination of $Q^{(ij,nm)}$ for the $\pi-N$, $\gamma-N$.collisions the probability "n

$$W_{n} = n! (2\pi)^{4} \int \frac{d^{3}p}{2E_{p}} \prod_{i=1}^{n} \frac{d^{3}k_{i}}{2k_{0i}} |Q^{(in,11)}|^{3} \times \delta\left(E_{p} + \sum_{i=1}^{n} k_{0i} - \epsilon_{0}\right) \delta^{3}\left(\vec{p} + \sum_{i=1}^{n} \vec{k}_{i}\right).$$
(8)

is obtained by insertion into (4) where $p,k_{\underline{i}}$ is a four-momentum of the final particles. The integral in (8) is the "generalized phase integral" which, for N-N and $\pi-\pi$ collisions has similar shape. Its calculation is illustrated for π -N collisions. For N-N collisions, similar considerations as for m-N collisions, give

$$W_n \sim (gm)^{2n} \left(\frac{\pi}{2\mu^2}\right)^{n/2} \frac{n! (z-1)^{2n-1}}{\left[(n+1)!\right]^2 (2n-1)!}$$

Card 3/5

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1" Quantum field theoretical ...

S/188/62/000/003/005/012 B111/B112

where $z=\frac{2q}{m}$. For $\pi-\pi$ collisions the interaction is brought about by a nucleon-antinucleon pair (a term \mathfrak{p}_{ϕ}^4 being added in the interaction Hamiltonian). If meson scattering only is considered, this influences the multiplicity only slightly. The angular distribution tends to higher isotropy in the presence of meson interaction. For the angular distribution of relativistic mesons in N-N collisions $\frac{dn(\theta)}{d\theta} \sim \frac{1}{\sin^3\theta}$, and for the energy distribution

$$\frac{\mathrm{dn}(k)}{\mathrm{dk}} \sim \frac{1}{a^2} + \frac{\alpha^2}{4k\alpha^3} \cdot \ln\left(\frac{\omega + k}{\omega - k}\right)^2, \quad \omega^2 = k^2 + \mu^2.$$

Summary of the results for multiplicity:

Card 4/5

Quantum field theoretical ...

S/188/62/000/003/005/012 B111/B112

$$\overline{n}_{N-N} \simeq \frac{\pi^{1/3}}{3} \left(g \frac{m}{\mu} \right)^{s_{1/3}} (z^{1/3} - 1)^{s_{1/3}}, \quad z = \frac{\mathbf{W} \mathbf{f} \cdot \mathbf{f}}{2m}, \\
\overline{n}_{z-N} = \overline{n}_{z-N} = \frac{\pi^{1/3}}{4^{1/3}} g^{s_{1/3}} \left(\frac{m}{\mu} \right)^{s_{1/3}} \left[\left(\frac{\mathbf{W} \mathbf{f} \cdot \mathbf{f}}{2m} \right)^{s_{1/3}} - 1 \right]^{s_{1/3}}, \\
\overline{n}_{z-z} \sim \begin{cases}
\left(\frac{E^c}{2\mu} - 1 \right)^{s_{1/3}} - \left(\frac{E^c}{2\mu} - 1 \right)^{s_{1/3}}, & (1) \\
\left(\frac{E^c}{2\mu} - 1 \right)^{1/3,5} - \left(\frac{E^c}{2\mu} - 1 \right)^{1/4}. & (11)
\end{cases}$$

No qualitative agreement could be found between the formulas and the experiment. There are 5 figures and 1 table.

ASSCCIATION: Kafedra elektrodinamiki i kvantovoy teorii (Department

of Electrodynamics and Quantum Theory)

SUBMITTED: July 16, 1961

Card 5/5

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1" VAVILOV, Dimitriy Mikhaylovich, kapitan 1 ranga zapasa; OSADCHIY, Mikhail
Dmitriyavich, kapitan 1 ranga zapasa; BYKHOVSKIY, Izrail' Adol'fovich, kapitan 2 ranga zapasa; KAZANKOV, A.A., kapitan 1 ranga,
red.; KONOVALOVA, Ye.K., tekhn.red.

[Practical seamanship] Morskaia praktika. Pt.2.[Ship handling]
Upravlenia manevrami korablia. Moskva, Voen.izd-vo M-va obor.SSSR.
1958. 287 p.

(Navigation)

(Navigation)

AREATTE AND THE PROPERTY REPORTED AND THE PROPERTY OF A STATE OF A

KOVANOV, Vladimir Vasil'yevich; prof.; BOMASH, Yuliy Maksimovich, dots.;
BOGUSLOVSKAYA, T.B., kand.med.nauk; GEYMAN, D.V., kand.med.nauk;
ZUERILOVA, A.V., kand.med.nauk; LEONOV, S.V., kand.med.nauk;
NIKOLAYEV, F.D., dots. [deceased]; VAVILOV, G.S., kand.med.nauk, nauchn.red.

[Practical manual on topographical anatomy] Prakticheskoe rukovodstvo po topograficheskoi anatomii; dlia studentov i vrachei. Moskva, Izd-vo "Meditsina," 1964. 388 p. (MIRA 17:3)

1. Prepodavateli kafedry operativnoy khirurgii i topograficheskoy anatomii Pervogo Moskovskogo meditsinskogo instituta imeni I.M. Sechenova (for Boguslavskaya, Geyman, Zubrilova, Leonov). 2. Deystvitel'nyy chlen AMN SSSR (for Kovanov).

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

当**对作的情况的**是不是不是有一个

VAVILOV, G. S.

"Projection of the Human Pericardium."
Thesis for degree of Cand. Medical Sci.
Sub 26 Jun 50, Moscow Medical Inst.
Ministry of Health RSFSR

Summary 71, 4 Sep 52. <u>Dissertations</u>
<u>Presented for Degrees in Science and</u>
<u>Engineering in Moscow in 1950</u>. From
<u>Vechernyaya Moskva</u>, Jan-Dec 1950

1. 海底部層機能能够經過 塞克里亚巴巴巴尼亚斯特 1991 1991

MATALASOV, S.F., kand. tekhn. nauk; NOSKOV, Yu.A., inzh.; Prinimali uchastiye:
RAMCDIN, V.N., inzh.; SUGAK, P.A., kand. tekhn. nauk; CHINAREV, S.S.,
inzh.; MURITSYN, V.I.; YAKUBOV, M.A.; VAVILOV, G.G., starshiy rekhanik;
OVCHINNIKOV, Yu.P., starshiy mekhanik; DEVICHINSKIY, Yu.V., starshiy
laborant; GCL'DENTUL, A.B., inzh.; VORGE'YEVA, J.M., starshiy tekhnik

[Transportation of goods subject to freezing; problem in the theory of freezing and the mechanization of loosening operations.] Perevozki smerzaiushchiksia gruzov; voprosy teorii smerzaniia i mekhanizatsii rykhleniia. Moskva, Transport, 1964, 132 p. (Moscow. Vsesoiuznyi nauchno-issledovateliskii institut zheleznodorozhnogo transporta. Trudy, no.273). (MIRA 17:9)

85616

\$/050/60/000/011/004/005 B012/B063

6.8000 (320), 1099,1162)

Soskin, I. M., Vavilov, I. A., Rossiyskiy, B. M.

TITLE:

AUTHORS:

Experience Gathered With the Use of the Radionavigation System "Koordinator" for the Observation of Currents

Meteorologiya i gidrologiya, 1960, No. 11, pp. 35-36 PERIODICAL:

TEXT: In 1959 a series of experiments were made in the Baltic Sea for the purpose of determining the velocity and direction of marine currents by the use of the radionavigation system "Koordinator". This system is designed for the location of vessels. It is a follow-up system with continuous counting. A sonde-type receiver and a recording counter are mounted on the ship, while the control station and the reflecting station are installed on the shore. These experiments were performed on the test ship "Okeanograf". The drifting system (a cross and a float with a ranging rod) was located in certain intervals with the help of the above-mentioned radionavigation system. The trajectory of the drifting system determined in this way was used to calculate the elements of the

Card 1/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

85616

Experience Gathered With the Use of the Radionavigation System "Koordinator" for the Observation of Currents

S/050/60/000/011/004/005 B012/B063

current, and the current was simultaneously observed from an anchored ship. The elements of the current were thus obtained by two methods the results of which were found to be satisfactory. These observations are described in detail. The system "Koordinator" is recommended for use in deep-sea research. There is 1 figure.

./

Card 2/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

USSR / General and Specialized Zoology. Insects

P

oran de la companya d

Pest Insects and Ticks.

Abs Jour

: Ref Zhur - Biol., No 17, 1958, No 78308

Author

: Vavilov, I. F.

Inst

Not given

Title

: Winter Measures in the Control of Pests and

Diseases in Orchards.

Orig Pub

: Vinogradarstvo i sadovodstvo Kryma, 1957, No. 2,

23-26

Abstract

: No abstract given.

Card 1/1

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

an ritatura errantikus odurarena osusa mistanosuka errantikaria karantaria arrantaria karan karantaria karanta

THE THE PARTY CONTINUES HARRICH MANUFACTOR AND THE PARTY OF THE PARTY

USSR/General and Special Zoology. Insects. Insect and Mite Tests. Fruit and Berry Crop Pests.

Abs Jour : Ref Zhur-Biol., No 20, 1958, 92196

: Vavilov, I. F. Author

: Crimean Agricultural Institute. Inst

: Distribution of Fruitgrowing Tests within Title

the Crimea Oblast'.

Orig Pub : Tr. Kryask. s.-kh. in-ta, 1957, 4, 169-182

Abstract : This study describes the results of zonal surveys conducted in May-June 1947-1954, in all Crimean rayons with respect to the varieties an ages of fruit plantings, the system of caring for the orchards, and particularly with respect to protective

measures against posts an' diseases, harmful

Card : 1/3

24

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1" USSR/General and Special Zoology. Insects. Insect and Mite Pests. Fruit and Berry Crop Pests.

Abs Jour : Ref Zhur-Biol., No 20, 1958, 92196

which surrounded them. On the basis of differences in the natural conditions of individual Crimean rayons and the state of fruiting growing in them, the author divides the Crimean peninsula into entemogeographical zones: steppes, foot hills, mountaineous, Kerchen, Tarkhankut, and scuthern coastal. The characteristics of the natural history for each zone are given, as well as the state of fruitgrowing, the composition of harmful insect groups, their distribution and economic significance. The study of the geographical distribution of fruit pests furnishes a foundation for creating a system of insect

Card : 2/3

VAVILOV, L.; IGNAT'YEV, V.; CHUMAKOV, A.; USHAKOV, A.

Useful undertaking. Zashch. rast. ot vred. i bol. 5 no. 8:60
Ag '60. (MIRA 13:12)

(Plant quarantine)


VAVILOV, L.; USHAKOV, L.; DERKACH, A.; AKOL'ZIN, L.; YUTSOV, L., agronom; YEVMENENKO, L.

Successes of chemicalization. Zashch. rast. ot vred. i bol. 10 no.1:4-8 '65. (MIRA 18:3)

1. Nachal'nik Primorskoy stantsii zashchity rasteniy, Vladivostok (for Vavilov). 2. Nachal'nik Brestskoy stantsii zashchity rasteniy (for Ushakov). 3. Glavnyy agronom Brestskoy stantsii zashchity rasteniy (for Derkach). 4. Nachal'nik Pskovskoy stantsii zashchity rasteniy (for Akol'zin). 5. Mogilevskiy otryad po zashchite rasteniy (for Yutsov). 6. Nachal'nik Gomel'skoy stantsii zashchity rasteniy (for Yevmenenko).

VAVILOV, L.; KUZNETSOVA, Ye.

Porecasters' seminar. Zashch. rast. ot vred. i bol. 10 no.12:
 (MIRA 19:1)
 1. Nachal'nik Primorskoy stantsii zashchity rasteniy (for Vavilov).




ONISIMOVA, Z.G., starshiy nauchnyy sotrudnik; VAVILOV, L.N.


The meadow moth Cirphis unipuncta Naw., a scourge of grain crops in the Far East. Zashch.rast.ot vred.i bol. 5 no.3:23-25 Mr '60. (MIRA 16:1)

1. Dal'nevostochnyy filial Sibirskogo otdeleniya AN SSSR (for Onisimova). 2. Starshiy inspektor Primorskoy krayevoy inspektsii po karantinu rasteniy (for Tavilov).

(Soviet Far East—Grain—Diseases and pests)

(Soviet Far East—Moths—Extermination)





VAVILOV, Mikhail Aleksandrovich; BARANOV, A.Ya., red.; BODANOVA, A.P., tekhn. red.

[Manual for the dump truck driver] Pamiatka shoferu avtomo-

[Manual for the dump truck driver] Pamiatka shoferu avtomobilia-samosvala. Izd.2., ispr. Moskva, Avtotransizdat, 1963. 58 p. (MIRA 16:8)

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

nen province de la companya de la c La companya de la co


KOSTRYKIN, Mikhail Iosifovich; LUKASHIN, Tikhon Alekseyevich;

VAVILOV, Mikhail Andreyevich; MAKIYENKO, N.I., inzh.,
retsenzent; BOLOTIN, A.I., inzh., retsenzent; KITAYEV,
V.Ye., inzh., retsenzent; KADOBNOV, V.F., inzh.,
retsenzent; EORZOV, K.V., inzh., retsenzent; ORLOV, M.P.,
inzh., otv. red.; KRASNYANSKIY, Ye.A., inzh., red.;
SILINA, L.A., red.izd-va; SABITOV, A., tekhm. red.

[Metal work shop and electric equipment installation operations] Slesarnoe i elektromontazhnoe delo. Moskva, Gosgortekhizdat, 1963. 182 p. (MIRA 17:1) (Electric wiring) (Metalwork)

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

是 這個是**是說,**們就看到了一定的一定的一定,



AZARENKO, B.S., kand. tekhn. nauk; AFANAS'YEV, V.D., kand. tekhn. nauk;

BROVMAN, M.Ya., inzh.; VAVILOV, M.P., inzh.; VERNIK, A.B., inzh.;

GOLUEKOV, K.A.; GUBKIN, S.I., akademik [deceased]; GUEEVICH, A.Ye.,

inzh.; DAVYDOV, V.I., kand. tekhn. nauk; DROZD, V.G., inzh.;

YERMOLAYEV, N.F., inzh.; ZHUKEVICH-STOSHA, Ye.A., inzh.; KIRILIN,

N.M., kand. tekhn. nauk; KOVYNEV, M.V., inzh.; KOGOS, A.M., inzh.;

KOROLEV, A.A., prof.; KUGAYENKO, M.Ye., inzh.; LASKIN, A.V., inzh.;

KOROLEV, A.A., prof.; KUGAYENKO, M.Ye., inzh.; MEYEROVICH, I.M.,

LEVITANSKIY, B.A., inzh.; IUGOVSKIY, V.M., inzh.; MEYEROVICH, I.M.,

kand. tekhn. nauk; OVCHAROV, M.S., inzh.; PASTERNAK, V.I., inzh.;

PERLIN, I.L., doktor tekhn. nauk; SAF'YAN, M.M., kand. tekhn. nauk;

ROKOTYAN, Ye.S., doktor tekhn. nauk; SAF'YAN, M.M., kand. tekhn.

nauk; SMIRNOV, V.V., kand. tekhn. nauk; SMIRNOV, V.S.; SOKOLOVSKIY,

O.P., inzh.; SOLOV'YEV, O.P., inzh.; SIDORKEVICH, M.A., inzh.;

TRET'YAKOV, Ye.M., inzh.; TRISHEVSKIY, I.S., kand. tekhn. nauk;

KHENKIN, G.N., inzh.; TSELIKOV, A.I.; GOROBINCHENKO, V.M., red.

izd-va; GOLUBCHIK, R.M., red. izd-va; RYMOV, V.A., red. izd-va;

DOBUZHINSKAYA, L.V., tekhn. red.

[Rolling; a handbook] Prokatnoe proizvodstvo; spravochnik. Pod red. E.S.Rokotiana. Moskva, Metallurgizdat. Vol.1. 1962. 743 p.

1. Akademiya nauk BSSR (for Gubkin). 2. Chlen-korrespondent Akademii nauk SSSR (for Smirnov, TSelikov).

(Rolling (Metalwor))—Handbooks, manuals, etc.)

Snanka Matallargicheskogo Oborelovaniya (Labrication Of Tetallargical Equipment)
Moskva, Mashgia, 1954.
175 P. Diagra., Tables.
"Literatura": F. (174)

SO: N/5
741
273

TO FOR A PERSON DESCRIPTION OF THE PROPERTY OF

VAVILOV, M.P.; RYBAL'CHENKO, A.M., inchener, retsensent; BUR'YANOV, V.P., inchener, redaktor.

[Lubrication of metallurgical plant equipment] Smaska metallurgicheakogo oborudovaniia. Moskva, Ges. nauchno-tekhn. izd-vo mashinostroit. i sudostroit. 1it-ry, 1954. 175 p. (MLRA 7:7)

(Lubrication and lubricants) (Metal industries)

32

PHASE I BOOK EXPLOITATION

507/5985

THE PROPERTY OF THE PROPERTY O

Rokotyan, Ye. S., Doctor of Technical Sciences, ed.

Prokatnoye proizvodetvo; spravochnik (Rolling Industry; Handbook) v. 1. Moscow, Hotallurgizdat, 1962. 743 p. Errata slip inserted. 9250 copies printed.

Authors of this volume: B. S. Agerenko, Candidate of Tachnical Sciences; V. D. Afonna you, Candidate of Toolmical Coionces; M. Ya. Brovenn, Engineer; M. P. Afanas'yev, Candidate of Tochnical Coionees; M. Ya. Brownn, Engineer; M. P.
Vavilov, Engineer; A. B. Vernik, Engineer; K. A. Golubkov, Engineer; S. I.
Gubkin, Academician, Academy of Sciences BSSR; A. Ye. Gurovich, Engineer; V. I.
Davydov, Candidate of Tochnical Sciences; V. G. Drozd, Engineer; H. K.
Yormolayev, Engineer; Ye. A. Zhubovich-Stopha, Engineer; R. M. Kirilin, Gandidate
of Technical Sciences; M. V. Kovynev, Engineer; A. M. Kegos, Engineer; A. A.
Korolev, Professor; M. Ye. Kugayanko, Engineer; A. V. Laskin, Engineer; B. A.
Korolev, Professor; V. M. Lugayakoy, Engineer; A. V. Laskin, Engineer; B. A.
Lovitanskiy, Engineer; V. M. Lugayakoy, Engineer; I. M. Payerovich, Candidate of
Technical Sciences; M. S. Orcharov, Engineer; V. I. Pasternak, Engineer; I. L.
Perlin, Doctor of Technical Sciences; I. S. Pobedin, Candidate of Technical
Sciences; Ye. S. Rokotyan, Doctor of Technical Sciences; M. M. Saf'yen, Candidate of Technical Sciences; V. V. Smirnov, Candidate of Technical Sciences;
V. S. Smirnov, Corresponding Member, Academy of Sciences USSR; O. P. Sokolovskiy, V. S. Smirnov, Corresponding Member, Academy of Sciences USSR; O. P. Sokolovskiy,

Card 1/10

學問題問題於於古

31

Rolling Industry; Handbook

201/5985

Engineer; O. P. Solov'yov, Engineer; M. A. Sidorkevich, Engineer; Ye. M. Tret'yakov, Engineer; I. S. Trishevskiy, Candidate of Technical Sciences; G. N. Khenkin, Engineer; and A. I. Tselikov, Corresponding Member, Academy of Sciences USSR; Introduction: A. I. Tselikov, Corresponding Member, Academy of Sciences USSR; Ye. S. Roketyan, Doctor of Technical Sciences; and L. S. Al'shevskiy, Candidate of Technical Sciences.

Eds. of Publishing House: V. M. Gorobinchenko, R. M. Golubchik, and V. A. Rymov; Toch. Ed.: L. V. Dobuzhinskaya.


PURPOSE: This handbook is intended for technical personnel of metallurgical and machine-building plants, ecientific research institutes, and planning and design organizations. It may also be useful to students at schools of higher education.

COVERAGE: The fundamentals of plantic deformation of metals are discussed along with the theory of rolling and drawing. Methods of determining the power consumption and the forces in rolling with plane surface or growed rolls are

Card 2/10

3. Flying shea	are	270	n
4. Hot saws	~~ W	279	-
5. Straightene	arg	276	-
6. Coilers and		289	
7. Transfer te		291	
	rs and turning mechanisms	299	
	les, guards, pushers, and fingers	302	-
10. Coolers and		30	
	ion and Lubricating Equipment (M. ricants and greases; various method		
application		333	3
2. Lubricating		348	
3. Contaminati	ion of lubrication materials in use	and methods of	
reclaiming		351	
4. Lubrication	n systems with circulation and their	equipment 352	2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"



VHULLOV, FJ.

VEDENEYEV, N.; VAVILOV, N.

The radio-phonograph "Daugava". Radio no.1:49-51 Ja '55.

(Radio) (Phonograph)

Redio no.1:49-51 Ja '55.

(MLRA 8:3)

VAUICOU, N. USER/ Electronics - Radio-phonograph Pub. - 21/27 Card 1/1 Vedeneyev, N., and Vavilov, N. Authors Title "Daugava" radio-phonograph Periodical : Radio 1, 49-51, Jan 1955 The specifications are presented for a combination radio re-Abstract ceiver and phonograph called the "Daugava", manufactured by the A. S. Popov fectory in Riga. The sensitivity of the receiver is not less than 20 db. The bonds covered by the apparatus are 723-2000 m for long waves, 187.5-576.9 m for medium-length waves and 24.7-31.7 m for short waves. The phonograph part will

use either the regular records or the long-playing ones. Full technical details are given for the construction of the apparatus.

Illustration, schematic diagram.

Institution:

Submitted :

VAVILOV, N.

Achievements of innovators. MTO 3 no.12:44 E '61. (MIRA 15:1)

Zamestitel¹ predsedatelya Leningradskogo oblastnogo pravleniya nauchno-tekhnicheskogo obshchestva radiotekhniki i elektrosvyazi imeni Popova.

(Technological innovations)

	VAVILOV, N.
•	People's university of radio electronics. Radio no.6:32 Je '61. (MRA 14:10)
	1. Zamestitel' predsedatelya Leningradskogo pravleniya Nauchno-tekhnicheskogo obshchestva radiotekhniki i elektrosvyazi im. A.S.Popova. (ElectronicsStudy and teaching)

9(4)

PHASE I BOOK EXPLOITATION

sov/1871

Vavilov, Nikolay Fedorovich

Elektronnyye lampy (Electron Tubes) Moscow, Voyen. izd-vo M-va obor. SSSR, 1958. 92 p. (Series: Radiolokatsionnaya tekhnika) No. of copies printed not given.

Ed.: V. T. Vladimirov, Engineer, Colonel; Tech. Ed.: G. F. Sokolova.

PURPOSE: This book is intended for officers who use radio communications equipment and for the general reader.

COVERAGE: This book of the popular radar series presents electrontube fundamentals, including construction, principle of operation, physical properties, characteristics, and parameters.

TABLE OF CONTENTS:

Introduction

3

Card 1/3

Electron Tubes SOV/1871	
Ch. I. General Information on Electron Tubes 1. Make-up and principle of operation of electron tubes	7
2. Cathodes and anodes of electron tubes	7 13
3. Classification and designation of electron tubes	19
	-
Ch. II. Physical Properties, Characteristics, and Parameter	s 22
of Electron Tubes	55
1. Vacuum diodes	
2. Vacuum triodes and nantodes. Redm tetrodes	32 46
 Vacuum triodes Vacuum tetrodes and pentodes. Beam tetrodes Multigrid and multiple-unit tubes 	58
" Maintellia and mainthic-auth oaner)
Ch. III. Structure and Performance of Modern Electron Tubes	
1. Structure and quantitative characteristics of rectifi	er
tubes	64
2. Structure and quantitative characteristics of	•
receiver-amplifier tubes	67
3. Structure and quantitative characteristics of oscilla	
tubes	70
4. Pulse vacuum tubes	72 75 83
5. Characteristics of HHR electron tubes	75
 Characteristics of UHF electron tubes Electron-tube operation 	

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859030004-1"

•	Electron Tubes	sov/1871	
i	Appendices: 1. Name classification of electron tubes 2. Table for the corresponding old and new names electron tubes	of	89 92
	AVAILABLE: Library of Congress		
		TM/ dfh 7 - 22 - 59	
	Card 3/3		
			F-12

VAVILOV, Bikolay Fedorovich; YLADIMIROV, V.T., inzh.-polkovnik, red.;
SOKOLUVA, G.F., tekh.red.

[Electron tubes] Elektronnye lampy. Moskva, Voen. izd-vo
M-va obor. SSSR, 1958. 92 p. (MIRA 12:2)

(Electron tubes)

VAVILOV, N.F.

DUGIN, A.I., VAVILOV, N.F.

"Manual for Laboratory Work for the Course 'Electronic and Ionic Devices' " (Rukovodstvo k laboratornym rabotam po kursu "Elektronnyye i ionnyye probory"). Izd Voyenno-vozdushnoy akademii im Zhukovskogo (Publishing House of the Military Air Academy imeni Zhukovskiy, 80 00., 1947.

h constant between the constant in the second second second

VAVILOV, Nikolay Dmitriyevich; SKORUBSKAYA, I.N., redaktor; KIRSANOVA, N.A., tekhnicheskiy redaktor

[Our experience in hardening steel] Nash opyt zakalki stali. [Moskva] Izd-vo VTsSPS Profizdat, 1956. 62 p. (MIRA 9:12)

1. Brigadir termicheskoy brigady instrumental'nogo tsekha zavoda sel'khozmashin imeni Ukhtomskogo. (for Vavilov) (Steel--Hardening)

VAVILOV, N.G., inzh.

Extracting gravel with a hydraulic classifier. Transp. stroi.
12 no.8:35 Ag '62. (MIRA 15:9)

(Gravel) (Separators (Machines))

TO COURT THE ENGINEER WAS REPORTED FOR AN ARCHITECTURE.


VAVILOV, Nikolay Ivanovich (1887-1943); KALESNIK, S.V., red.; DAVITAYA,
F.F., red.; SINSKAYA, Ye.N., doktor biol. nauk, red.; STANKOV,
S.S., doktor biol. nauk [deceased]; IVANCV, I.R., doktor sel'k'oz. nauk, red.; PERVAKOV, I.L., red.; ZHURAVLEVA, G.P., mltd.
red.; MATVEYEVA, G.Ye., mlad. red.; ARDANOVA, N.P., tekhn. red.


[Five continents]Piat' kontinentov. Moskva, Geografgiz, 1962. 253 p.
(MIRA 16:2)
1. Chlen-korrespondent Akademii nauk SSSR (for Kalesnik). 2. Deystvitel'nyy chlen Akademii nauk Gruzinskoy SSR (for Davitaya).
(Voyages and travels) (Phytogeography)

。 一句:"你们是我们就是我们的一句,我们就是我们的一句,我们就是我们的一句,我们就是我们的一句。"

VAVILOV, Nikolay Ivanovich, akademik; YAKUBTSINER, M.M., doktor sel'khoz. nauk, otv. red. toma; LEPIN, T.K., doktor sel'khoz.nauk, otv. red. toma; YAKOVLEVA, V.M., red.izd-va; BOCHEVER, V.T., tekhn. red.

[World resources of cereal, pulse crop, and flax varieties and their use in breeding] Mirovye resursy sortov khlebnykh zlakov, zernovykh bobovykh, l'na i ikh ispol'zovanie v selektsii. Moskva, Izd-vo "Nauka." Vol.2. [Wheat] Pshenitsa. 1964. 122 p. (MIRA 17:4)





Colence and technology. Rasters. 1 no.3 443-449 155. Wild fruit resources of Kopetdag. Ibid.: 450-451 (MERA 18
•
•

VAVILOV, N. I.

BYKOV, N.V., inzhener: VAVILOV, N.I., inzhener.

Using suspended steel scaffolds for concreting bridge span structures.

Avt.dor. 20 no.3:19-20 Mr '57. (MLRA 10:5)

(Bridges, Concrete)

(Scaffolding)

The Constitution and the Constitution of the C

VAVIIOV, Nikolay Ivanovich, akademik; SUKACHEV, V.N., akademik, glav. red.; BARANOV, P.A., zam. glav. red.[deceased]; ZHUKOVSKIY, P.M., zam. glav. red.; BARULINA-VAVILOVA. Ye.I., red. [deceased]; BAKHTEYEV, F.Kh., otv. red. toma; SINSKAYA, Ye.N., otv. red. toma; IPAT'YEV, A.N., red.; RODIN, L.Ye., red.; YAKOVLEVA, V.M., red. izd-va; GALIGANOVA, L.M., tekhn. red.

[Selected works in five volumes] Izbrannye trudy v piati tomakh. Moskva, Izd-vo Akad. nauk SSSR. Vol.3. [Problems of the geography, phylogeny, and breeding of wheat and rue. Plant resources and problems of the classification of cultivated plants]Problemy geografii, filogenii i selektsii pshenitsy i rzhi. Rastitel'nye resursy i voprosy sistematiki kul'turnykh rastenii. 1962. 531 p. (MIRA 15:7)

1. Chlen-korrespondent Akademii nauk SSSR (for Baranov).
2. Deystvitel'nyy chlen Vsesoyuznoy akademii sel'skokhozyaystvennykh nauk imeni V.I.Lenina (for Zhukovskiy).

(Wheat) (Rye)

THE REPORT OF THE PROPERTY OF

VAVILOV, Nikolay Ivanovich, akademik; BAKHTEYEV, F.Kh., otv. red. toma; LIPSHITS, S.Yu., otv. red. toma

[Selected works in five volumes] Izbrannye trudy v piati tomakh. Moskva, Nauka. Vol.5. 1965. 786 p.
(MIRA 18:11)

CHERNYSHEV, A.M.; GESS, B.A.; KANAVETS, P.L.; MELENT'YEV, P.N.; KHODAK, L.Z.; SOKOLOV, G.A.; BORISOV, Yu.I.; CHERNYKH, V.I.; Prinimali uchastiye: VAVILOV, N.S.; MAKARCHENKO, V.G.; KISELEV, G.P.; VOLNISTOVA, R.A.; MOREYEVA, G.P.

Testing granules made by the method of chemical catalysis in a laboratory shaft furnace. Trudy IGI 22:70-78 '63.

(MIRA 16:11)

A CONTROL OF THE PROPERTY OF T

GLINKOV, M.A.; VAVILOV, N.S.

Instruments for investigating the thermal operation of metallurgical furnaces. Zav.lab.21 no.10:1203-1207 '55. (MLRA 9:1)

1.Moskovskiy institut stali imeni Stalina.
(Thermometers) (Metallurgical furnaces)

Some water calorimeter type of heat flow meters are critically considered, with special reference to their use in steel-making furnaces. Details are given of instruments developed by the Moscow Steel Institute.